

# CHOMÓN ROOM

## EQUIPMENT INVENTORY

### PROJECTORS FOR CINEMATOGRAPHIC FORMATS:

- Two 35 mm **Cinemeccanica Victoria 5** projectors.
- 16 mm Bauer Selecton II projector.
- Projection screen of 10.40 m x 4.35 m with a reflection index of 1.1.

### PROJECTORS FOR DIGITAL/AUDIOVISUAL FORMATS:

- **DCP BARCO DP2K-10C** projector for digital content with a resolution of 2048 x 1080
- PANASONIC PT-DW7000E audiovisual projector with 7000 ANSI lumens and resolution of 1366 x 762
- **DOREMI DCP 2000** server for managing and storing DCP content with JPEG 2000 files.

### VIDEO SOURCES:

- SONY HVR-M35E HDV, DVCAM DV player.
- SONY HDW-M2100P/20 player for HDCAM, DIGITAL BETACAM, Betacam SX, Betacam SP, and Betacam formats.
- SONY RDR DC-200 DVD-HDD recorder/player.
- PANASONIC DMP-BD 60 Blu-Ray player.
- DENON DVD-1910 player.
- PC for playing audiovisual files.

## **SUBTITLING**

- **PANASONIC PT-D5000E** projector.

## **AUDIO:**

- Dolby CP 650 processor for films with multichannel sound (L C R SW SL SR BLS BLR) with formats 01 Mono, 04 Dolby A, 05 Dolby SR, 10 Dolby SRD, 11 ext. channel, U1, U2, non-sync.
- DTS XD 20 processor for films with a multichannel digital sound format.
- Power amplifiers (8) QSC 1350, 750, 280 for the 8 channels mentioned.
- Loudspeaker systems (3) KCS S-8000 for channels L, C, and R.
- Loudspeaker systems (3) KCS C-218 A for SW channels.
- Loudspeaker systems (12) KCS SR-12 for ambient channels (SR, SL, BSR, BSL)

## **AUDIO PROCESSING, MIXING AND DISTRIBUTION:**

- SOUNDCRAFT Si 2 console.
- ECLER DAC110E press rack.
- Distribution, video, VGA and audio input/output boxes (5).

## **FIXED AMBIENT MICROPHONE:**

- SHURE SM89 directional condenser microphone.

**WIRELESS MICROPHONES:**

- SHURE SLX6 Diversity UHF microphone receivers (4).
- SHURE ULX2 hand transmitters (2) with Beta 87 C capsules.
- SHURE SLX1 pocket transmitters (3) with WL-185 capsules.
- SHURE MX890 L4 desktop base, 1 x MX410 RLP N flexo, 1 x R185B/W capsule.

**AUDIO SOURCES:**

- TASCAM CD-RW901–SL CD-RW recorder/player.
- TASCAM SS-R1 solid memory recorder/player.

**CONFERENCE SYSTEMS AND SIMULTANEOUS TRANSLATION:**

- DIS DC 6190 P conference units (5)
- DIS IS 6132 interpreter desks (2)
- DIS DT6008 8-channel transmitter.
- DIS RA 6025 infrared radiator.

**CONFERENCE SOUND SYSTEM:**

- CROWN CTs-1200 power amplifier (2) of 2 x 600 W at 4 OHMS.
- CROWN CTs-4200 power amplifier of 4 x 200 W at 8 OHMS.
- JBL AM5215/64 loudspeaker system.
- JBL AM5215/26 loudspeaker system.

**IMAGE CAPTURE:**

- PANASONIC AW-HE100E camcorders (2).

**ELECTRONIC CONTROL SYSTEM FOR EQUIPMENT:**

- CRESTRON TPMC-V12-TILT-B touch screen control solution.