

LAYA ROOM

EQUIPMENT INVENTORY

PROJECTORS FOR CINEMATOGRAPHIC FORMATS:

- Two 35 mm Cinemeccanica Victoria 5 projectors
- 16 mm Bauer Selecton II projector
- Projection screen with a reflection index of 1.1, 7.65 m x 3.20 m

PROJECTORS FOR DIGITAL/AUDIOVISUAL FORMATS:

- DCP BARCO DP2K-10C projector for digital content with a resolution of 2048 x 1080
- PANASONIC PT-DW7000E audiovisual projector with 7000 ANSI lumens and resolution of 1366 x 762
- DOREMI SHOWVAULT server for managing and storing DCP content with JPEG 2000 files.

VIDEO SOURCES:

- SONY HVR-M25E HDV, DVCAM DV video player.
- SONY J3 video player for DIGITAL BETACAM, Betacam SX, Betacam SP, and Betacam formats
- DVD-HDD PANASONIC DMR-EX99VECK video recorder/player.
- SONY BDP-S550 Blu-Ray video player.
- SONY BDP-S570 Blu-Ray video player.
- PC for playing audiovisual files.

SUBTITLING

- PANASONIC PT-D5000E projector.

AUDIO:

- Dolby CP 650 processor for films with multichannel sound (L C R SW SL SR BLS BLR) with formats 01 Mono, 04 Dolby A, 05 Dolby SR, 10 Dolby SRD, 11 ext. channel, U1, U2, non-sync.
- DTS XD 20 processor for films with a multichannel digital sound format.
- Power amplifiers (7) QSC 1350, 750, 280 for the 8 channels mentioned.
- Loudspeaker systems (3) KCS S-3001 for channels L, C, and R.
- Loudspeaker systems (3) KCS C-218 A for SW channels.
- Loudspeaker systems (10) KCS SR-12 for ambient channels (SR, SL, BSR, BSL)

AUDIO PROCESSING, MIXING AND DISTRIBUTION:

- SOUNDCRAFT Si 1 console.
- ECLER DAC110E press rack.
- Distribution, video, VGA and audio input/output boxes (5).

FIXED AMBIENT MICROPHONE:

- SHURE SM89 directional condenser microphone.

WIRELESS MICROPHONES:

- SHURE SLX4 Diversity UHF microphone receivers (4).
- SHURE ULX2 hand transmitters (2) with Beta 87 C capsules.
- SHURE SLX1 pocket transmitters (3) with WL-185 capsules.
- SHURE MX890 L4 desktop base, 1 x MX410 RLP N flexo, 1 x R185B/W capsule.

AUDIO SOURCES:

- CD-RW TASCAM CD-RW901–SL CD-R player/recorder

CONFERENCE SYSTEMS AND SIMULTANEOUS TRANSLATION:

- DIS DC 6190 P conference units (5)
- DIS IS 6132 interpreter desks (2)
- DIS DT6008 8-channel transmitter.
- DIS RA 6025 infrared radiator.

CONFERENCE SOUND SYSTEM:

- CROWN CTs-600 power amplifier of 2 x 300 W at 4 OHMS.
- JBL AM5212/95 loudspeaker systems (2)

IMAGE CAPTURE:

- PANASONIC AW-HE100E camcorders (2).

ELECTRONIC CONTROL SYSTEM FOR EQUIPMENT:

- CRESTRON TPMC-V12-TILT-B touch screen control solution.